## **SRES - NFIR**

**FACILITIES OF TOILET, DRINKING WATER & ELECTRICITY** 

## **ORDERS SECURED BY NFIR-SRES**

SRES DEMANDS PCE & ALL DRMs TO TAKE IMMEDIATE ACTION FOR ARRANGING TOILET FACILITIES, DRINKING WATER & ELECTRICITY FOR GATE KEEPERS

GOVERNMENT OF INDIA MINISTRY OF RAILWAYS (RAILWAY BOARD)

No. 2016/LMB-II/1/12 New Delhi, Dt : 24.09.2015

General Manager, All Indian Zonal Railways.

Subject: Non-availability of drinking water and poor condition of Gate Lodge

Track maintainers put to severe hardships-req.

Secretary, NFIR have sent representation to Secretary (E) on the above cited subject and mentioned that Zonal Railways have not taken measures for ensuring supply of drinking water to the track maintainers at work places i.e. at Railway tracks well as at level crossing gates. The gate lodges wherever available in very bad shape due to leakage of roof and cracked walls causing safety hazards to those track maintainers who man the gates. At some gate lodges, no power supply is ensured. The solar power supply lasts for a few hours consequently the Gate Keepers are compelled to perform duties in total darkness.

Railways are requested to ensure that drinking water is supplied uninterruptedly to the Track Maintainers as well as to the Gate Keepers, Gate lodges which are in bad shape to be repaired. It has also been requested to ensure uninterrupted power supply to Gate Lodge since Solar Power lasts for few hours and the Gate Keepers are compelled to work in total darkness.

Railways are requested to take necessary action.

(Ramesh Kumar)
Director/Land and Amenities
Railway Board

Copy to: General Secretary/NFIR,

3, Chelmsford Road, New Delhi-110055.

Dr.M.Raghavaiah
GS/NFIR & President/SRES

Date: 16.03.2017 Circular No.802

Visit: nfirindia.org & sresindia.org

P.S.Suriyaprakasam JGS/NFIR & GS/SRES